
HIZATATE et al. Serial No. Unknown

Corc

11. (Amended) The heat-sensitive recording material of claim 8, wherein the protective layer contains at least one selected from an acetoacetyl-modified polyvinyl alcohol, a carboxy-modified polyvinyl alcohol, a diacetone-modified polyvinyl alcohol or a silicon-modified polyvinyl alcohol, and a pigment, as main components.

- 12. (Amended) The heat-sensitive recording material of claim 8, wherein the heat-sensitive recording layer, the protective layer or both contain a benzotriazole-containing ultraviolet absorbent.
- 15. (Amended) The heat-sensitive recording material of claim 13, wherein the mixture contains two members of the benzenesulfonamide derivatives, which are used together in a mixing weight ratio of from 1:9 to 9:1.
- 16. (Amended) The heat-sensitive recording material of claim 13, wherein the benzenesulfonamide derivatives are a combination of N-(4-hydroxyphenyl)-p-toluenesulfonamide and N-(2-hydroxyphenyl)-p-toluenesulfonamide.
- 17. (Amended) The heat-sensitive recording material of claim 13, wherein the heat-sensitive recording layer contains a phosphoric ester derivative as an additive.
- 21. (Amended) The heat-sensitive recording material of claim 18, wherein the benzenesulfonamide derivative is a compound of the general formula (II-a),





wherein each of R¹¹ and R¹² respectively represents an alkyl group having 1 to 4 carbon atoms, an alkoxyl group having 1 to 4 carbon atoms, an alkenyl group having 2 to 4 carbon atoms, an aralkyl group having 7 to 10 carbon atoms or an aryl group having 6 to 14


carbon atoms, n represents an integer of 0 to 5, m represents an integer of 0 to 4 and k represents 1 or 2.

- 22. (Amended) The heat-sensitive recording material of claim 18, wherein the benzenesulfonamide derivative and the diphenylsulfone derivative are contained in a weight ratio of from 9:1 to 3:7.
- 23. (Amended) The heat-sensitive recording material of claim 18, wherein the heat-sensitive recording layer contains, as an additive, a hydroxybenzoic acid derivative of the general formula (V),



wherein Z is an oxygen atom or -NH group, R^{23} is an alkyl group, an alkenyl group, aralkyl group or an aryl group, and d repesents an integer of 1 to 4.

- 24. (Amended) The heat-sensitive recording material of claim 18, wherein the heat-sensitive recording layer contains a phosphoric ester derivative as an additive.
- 27. (Amended) The heat-sensitive recording material of claim 25, wherein the diphenylsulfone derivative is 4-benzyloxy-4'-(2-methylglycidyloxy)diphenylsulfone.
- 30. (Amended) The heat-sensitive recording material of claim 28, wherein the ultraviolet absorbent is a dimer of a benzotriazole derivative of the general formula (VII),




AL

HIZATATE et al. Serial No. Unknown

wherein R^{29} represents a hydrogen atom, a halogen atom, an alkyl group, an alkoxyl group, an aryl group or an aryloxy group, R^{30} is an alkyl group having 1 to 18 carbon atoms, and D is an alkylidene group having 1 to 8 carbon atoms.

- 31. (Amended) The heat-sensitive recording material of claim 28, wherein the benzenesulfonamide derivative is N-(2-hydroxyphenyl)-p-toluenesulfonamide or N-(4-hydroxyphenyl)-p-toluenesulfonamide.
- 32. (Amended) The heat-sensitive recording material of claim 28, wherein the heat-sensitive recording layer contains a compound of the general formula (VIII),



wherein each of R³¹ and R³² respectively represents a hydrogen atom, an alkyl group, an aralkyl group or an aryl group, respectively, R³³ represents an alkyl group, an alkoxyl group, an alkenyl group, an aralkyl group or an aryl group, and w represents an integer of 0 to 5.

- 33. (Amended) The heat-sensitive recording material of claim 28, wherein the heat-sensitive recording layer contains a phosphoric ester derivative as an additive.
- 36. (Amended) The heat-sensitive recording material of claim 34, wherein the heat-sensitive recording layer contains at least two benzenesulfonamide derivatives of the general formula (II).
- 37. (Amended) The heat-sensitive recording material of claim 34, wherein N-(4-hydroxyphenyl)-p-toluenesulfonamide and N-(2-hydroxyphenyl)-p-toluenesulfonamide are contained in combination as benzenesulfonamide derivatives.





- 41. (Amended) The heat-sensitive recording material of claim 38, wherein the heat-sensitive recording layer contains a phosphoric ester derivative as an additive.
- 44. (Amended) The heat-sensitive recording material of claim 42 wherein the benzenesulfonamide derivative is a compound of the general formula (II),

$$(R^{11})m \quad R^{13} \quad (R^{12})n$$

$$(OH)k \quad (II)$$

wherein each of R¹¹, R¹² and R¹³ respectively represents an alkyl group having 1 to 4 carbon atoms, an alkoxyl group having 1 to 4 carbon atoms, an alkenyl group having 2 to 4 carbon atoms, an aralkyl group having 7 to 10 carbon atoms or an aryl group having 6 to 14 carbon atoms, n represents an integer of 0 to 5, m represents an integer of 0 to 4 and k represents 1 or 2.

45. (Amended) The heat-sensitive recording material of claim 42, wherein the diphenylsulfone derivative is a compound of the general formula (IX),


wherein each of R³⁴ and R³⁵ respectively represents a hydrogen atom, a halogen atom, an alkyl group, an alkoxyl group, an alkenyl group, an aralkyl group, an aryl group, an alkenyloxy group, an aralkyloxy group or an aryloxy group, x represents an integer of 1 to 3, and y represents an integer of 0 to 2.



46. (Amended) The heat-sensitive recording material of claim 42, wherein the benzoic acid derivative is a compound of the general formula (V).

wherein Z is an oxygen atom or -NH group, R^{23} is an alkyl group, an alkenyl group, aralkyl group or an aryl group, and d repesents an integer of 1 to 4.

47. (Amended) The heat-sensitive recording material of claim 42, wherein the diphenylmethane derivative is a compound of the general formula (X),



wherein each R³⁶ to R⁵⁹ respectively represents a hydrogen atom, a halogen atom, an alkyl group, an alkoxyl group, an alkenyl group, an aralkyl group, an aryl group, an alkenyloxy group, an aralkyloxy group, an aryloxy group or an alkoxycrbonylalkyl group, R³⁷ and R³⁸ may bond to each other to form a ring, x represents an integer of 1 to 3, and y represents an integer of 0 to 2.

48. (Amended) The heat-sensitive recording material of claim 42, wherein the dye precursor is a xanthene compound of the general formula (XI),